

PWAB 6.

By Legislators Dondorfer and Delehanty

PURE WATERS ADMINISTRATIVE BOARD OF THE
IRONDEQUOIT BAY SOUTH CENTRAL PURE WATERS DISTRICT

Intro. No. ____

RESOLUTION NO. ____ OF 2020

**FIXING PUBLIC HEARING FOR SCALE OF CHARGES FOR IRONDEQUOIT BAY SOUTH
CENTRAL PURE WATERS DISTRICT, COUNTY SEWER DISTRICT FOR COUNTY OF
MONROE, NEW YORK**

BE IT RESOLVED BY THE PURE WATERS ADMINISTRATIVE BOARD OF THE
IRONDEQUOIT BAY SOUTH CENTRAL PURE WATERS DISTRICT, as follows:

Section 1. Pursuant to Section 266 of the County Law of the State of New York and Resolution No. 449 of 1976, there will be a public hearing before the Pure Waters Administrative Board of the Irondequoit Bay South Central Pure Waters District on December 8, 2020 at 6:16 p.m. ET, in the Legislative Chambers in the County Office Building, Rochester, New York, on the proposed scale of charges for the operation and maintenance of facilities of the District and setting proportionate factors of surcharge for the treatment of industrial wastes and sewage received by the District.

Section 2. An appeal to the County Legislature from any scale of charges established by any of the Administrative Boards and confirmed by the County Legislature may be taken by any person aggrieved. Such appeal may be taken by filing with such Administrative Board and with the Clerk of the Legislature a written notice of appeal specifying the ground thereof, within fifteen (15) days of the confirmation of such scale of charges by the Legislature pursuant to Section 266 of the County Law of the State of New York.

Section 3. The Clerk of the Legislature is hereby authorized and directed to cause a notice of said public hearing to be published once in each of the official newspapers of the County, such publication to be made in each of such papers not less than ten (10) nor more than twenty (20) days before the date for said public hearing.

Section 4. This resolution shall take effect immediately.

Matter of Urgency
File No. 20-0338

ADOPTION: Date: _____

Vote: _____